



NOTES:

1. Camera line testing to be performed by the F.K.A.A. upon initial inspection and approval of the building sewer on private property by the local building official of jurisdiction.
2. Two or more buildings connected to the same building drain require a D.E.P. Collection system permit. If each building has its own pipe to the F.K.A.A. Lateral at the right of way, a D.E.P. permit is not required.
3. Within 90 calendar days after initiation of service, the existing on-site septic tank or cesspit must be decommissioned per the requirements of chapter 64e-6 F.A.C., the Florida Department of Health, and the Monroe County Health Department.
4. In the event of a sewer collection failure, sewage from a higher elevation will exit from the lowest opening not protected by a backwater device.
5. The-in connection at street must be dry prior to plug removal, dewatering pump may be required. A test ball must be inserted in the clean-out to prevent infiltration if performing connection in wet conditions. DO NOT remove test ball until inspected by F.K.A.A. County inspection is perform prior to F.K.A.A inspection. Test ball shall not to be remove until green tag is placed by F.K.A.A.

FLORIDA KEYS
AQUEDUCT AUTHORITY

CUDJOE REGIONAL LATERAL CONNECTION DETAIL
FOR GRAVITY SEWER

SCALE:
N.T.S.
DATE:
3/15
REV. 6/21